


ECTFE
Tubazioni, valvole ed accessori
Tubazioni




ARTICOLO		PN 3,2			
DE [mm]	ECTFE 6.001_4	s [mm]	Lunghezza [mt]	Peso [Kg]	Conf. [Pz/Pc]
160	6.001.0160.4	3,0	5	4,37	1

ARTICOLO		PN 5			
DE [mm]	ECTFE 6.001_5	s [mm]	Lunghezza [mt]	Peso [Kg]	Conf. [Pz/Pc]
110	6.001.0110.5	3,0	5	1,83	1

ARTICOLO		PN 10			
DE [mm]	ECTFE 6.001_7	s [mm]	Lunghezza [mt]	Peso [Kg]	Conf. [Pz/Pc]
20	6.001.0020.7	1,9	5	0,20	1
25	6.001.0025.7	1,9	5	0,25	1
32	6.001.0032.7	2,4	5	0,41	1
40	6.001.0040.7	2,4	5	0,52	1
50	6.001.0050.7	3,0	5	0,80	1
63	6.001.0063.7	3,0	5	1,03	1
75	6.001.0075.7	3,6	5	1,46	1
90	6.001.0090.7	4,3	5	2,10	1
110	6.001.0110.7	5,3	5	3,14	1
140	6.001.0140.7	6,7	5	5,01	1
160	6.001.0160.7	7,7	5	6,57	1


ECTFE
Tubazioni, valvole ed accessori
Tubazioni liner con aggancio per rivestimento



ARTICOLO		SIZES			
DE [mm]	ECTFE aggancio sintetico 6.001.50_1	s [mm]	Lunghezza [mt]	Peso [Kg]	Conf. [Pz/Pc]
20	6.001.5020.1	1,9	5	0,31	1
25	6.001.5025.1	1,9	5	0,39	1
32	6.001.5032.1	2,4	5	0,57	1
40	6.001.5040.1	2,4	5	0,73	1
50	6.001.5050.1	3,0	5	1,05	1
63	6.001.5063.1	3,0	5	1,35	1
90	6.001.5090.1	2,8	5	1,90	1
110	6.001.5011.1	3,0	5	2,40	1
160	6.001.5016.1	3,0	5	3,56	1
200	6.001.5002.1	4,0	5	27,80	1

ARTICOLO		SIZES			
DE [mm]	ECTFE aggancio sintetico 6.001.51_1	s [mm]	Lunghezza [mt]	Peso [Kg]	Conf. [Pz/Pc]
20	6.001.5120.1	1,9	1	0,31	1
25	6.001.5125.1	1,9	1	0,39	1
32	6.001.5132.1	2,4	1	0,57	1
40	6.001.5140.1	2,4	1	0,73	1
50	6.001.5150.1	3,0	1	1,05	1
63	6.001.5163.1	3,0	1	1,35	1
90	6.001.5190.1	2,8	1	1,90	1
110	6.001.5111.1	3,0	1	2,40	1
160	6.001.5116.1	3,0	1	3,56	1
200	6.001.5102.1	4,0	1	5,56	1

ECTFE
Tubazioni, valvole ed accessori
Valvole a membrana - terminali lisci




ARTICOLO		PN 10										
DE/DN [mm/mm]	ECTFE EPDM rivestita PTFE 6.298_708	s [mm]	l [mm]	l1 [mm]	h [mm]	h1 [mm]	d [mm]	f [mm]	k [mm]	MOP [bar]	Peso [Kg]	Conf. [Pz/Pc]
20/15	6.298.0015.708	1,9	133	36,0	100	16,5	86	24,5	M6	10	0,50	1
25/20	6.298.0020.708	1,9	144	36,0	100	16,5	86	24,5	M6	10	0,49	1
32/25	6.298.0025.708	2,4	154	36,0	107	20,0	86	24,5	M6	10	0,70	1
40/32	6.298.0032.708	2,4	195,5	47,8	144	25,5	135	25,5	M6	10	0,70	70
50/40	6.298.0040.708	3,0	194	46,0	144	32,0	136	44,0	M8	10	1,95	1
63/50	6.298.0050.708	3,0	224	54,0	170	38,5	136	44,0	M8	10	2,43	1

ECTFE

Tubazioni, valvole ed accessori

Valvole a membrana con attuatore pneumatico e indicatore visivo,
terminali lisci




ARTICOLO		PN 10							
DE/DN [mm/mm]	ECTFE EPDM rivestita PTFE SENA 6.303.0_708	s [mm]	l [mm]	h [mm]	d [mm]	a [mm]	MOP [bar]	Peso [Kg]	Conf. [Pz/Pc]
20/15	6.303.0015.708	1,9	124	145,4	79,6	16,5	10	1,14	1
25/20	6.303.0020.708	1,9	144	175,5	100,5	16,5	10	1,14	1
32/25	6.303.0025.708	2,4	154	175,5	100,5	20,0	10	1,50	1
40/32	6.303.0032.708	2,4	153	273	153	25,5	10	1,50	70
50/40	6.303.0040.708	3,0	194	275,5	157,0	32,0	10	4,56	1
63/50	6.303.0050.708	3,0	224	275,5	157,0	38,5	10	5,62	1

ECTFE

Tubazioni, valvole ed accessori

Valvole a membrana con attuatore pneumatico e indicatore visivo, terminali lisci




ARTICOLO		PN 10							
DE/DN [mm/mm]	ECTFE EPDM rivestita PTFE SENC 6.303.1_708	s [mm]	l [mm]	h [mm]	d [mm]	a [mm]	MOP [bar]	Peso [Kg]	Conf. [Pz/Pc]
20/15	6.303.1015.708	1,9	124	145,4	79,6	16,5	10	1,14	1
25/20	6.303.1020.708	1,9	144	175,5	100,5	16,5	10	1,94	1
32/25	6.303.1025.708	2,4	154	175,5	100,5	20,0	10	1,92	1
40/32	6.303.1032.708	2,4	193	273,5	153	32,0	10	1,92	70
50/40	6.303.1040.708	3,0	194	275,5	157,0	32,0	10	6,26	1
63/50	6.303.1050.708	3,0	224	275,5	157,0	38,5	10	7,47	1

ECTFE

Tubazioni, valvole ed accessori

Valvole a membrana con attuatore pneumatico e indicatore visivo,
terminali lisci



ARTICOLO		PN 10							
DE/DN [mm/mm]	ECTFE EPDM rivestita PTFE DOEF 6.303.2_708	s [mm]	l [mm]	h [mm]	d [mm]	a [mm]	MOP [bar]	Peso [Kg]	Conf. [Pz/Pc]
20/15	6.303.2015.708	1,9	124	145,4	79,6	16,5	10	1,04	1
25/20	6.303.2020.708	1,9	144	175,5	100,5	16,5	10	1,04	1
32/25	6.303.2025.708	2,4	154	175,5	100,5	20,0	10	1,40	1
40/32	6.303.2032.708	2,4	153	273	153	32,0	10	1,40	70
50/40	6.303.2040.708	3,0	194	275,5	157,0	32,0	10	4,06	1
63/50	6.303.2050.708	3,0	224	275,5	157,0	38,5	10	5,12	1