





PFA
Semilavorati
Lastre estruse



ARTICOLO		SIZES		
Spessore [mm]	PFA 7.707.00_	Formato [mm]	Peso [Kg]	Conf. [Pz/Pc]
2,3	7.707.0002	1250X2000	12,60	1
4,0	7.707.0004	1250X2000	21,75	1
6,0	7.707.0006	1250X2000	32,50	1

ARTICOLO		SIZES		
Spessore [mm]	PFA 7.709.11_	Formato [mm]	Peso [Kg]	Conf. [Pz/Pc]
10,0	7.709.1110	1150X2000	49,74	1


PFA
Semilavorati
Rotoli di lastre estruse



ARTICOLO		SIZES		
Spessore [mm]	PFA 7.708_7	Formato [mm]	Peso [Kg]	Conf. [Pz/Pc]
1,5	7.708.2001.7	1250X20000	83,25	1
2,3	7.708.1002.7	1250X10000	63,00	1




PFA Semilavorati Rotoli di lastre estruse con aggancio




ARTICOLO		SIZES		
Spessore [mm]	PFA Fiberglass mat 7.714.2_7	Formato [mm]	Peso [Kg]	Conf. [Pz/Pc]
1,5	7.714.2115.7	1250X10000	54,50	1
2,3	7.714.2123.7	1250X10000	73,88	1

PFA
Semilavorati
Tondi pieni



ARTICOLO		SIZES				
DE [mm]	PFA 7.770_	Tolleranza max [mm]	Tolleranza min [mm]	Lunghezza [mt]	Peso [Kg/mt]	Conf. [Pz/Pc]
20	7.770.0020	+1,0	+0,2	1000	0,72	1
30	7.770.0030	+1,2	+0,2	1000	1,61	1
40	7.770.0040	+1,5	+0,3	1000	2,84	1
50	7.770.0050	+2,0	+0,3	1000	4,43	1
100	7.770.0100	+3,0	+0,6	1000	17,68	1

PFA
Semilavorati
Disco di copertura



ARTICOLO		SIZES				
DE [mm]	PFA 7.270.0048	d1 [mm]	h [mm]	d [mm]	Peso [Kg]	Conf. [Pz/Pc]
48	7.270.0048	42	4,5	47,5	0,01	1